



MERZ AESTHETICS

STIMULATE YOUR NATURAL
COLLAGEN PRODUCTION

www.merz-aesthetics.co.uk/radiesse

RADIESSE® 
LIDOCAINE




WHY LET AGE DEFINE YOU ?

We spend our entire lives defining who we are. From wardrobe to career choices, we get to decide how we appear to the world.

What happens with age? Collagen, the main structural protein which helps our skin feel and look taut and youthful, begins to slow in

production, causing our skin to sag. When the unwanted signs of ageing occur, Radiesse®+ Lidocaine can help you reclaim a well-defined lower face to match your inner confidence.

**RADIESSE®+ LIDOCAINE CAN
HELP IN THESE AREAS:**



RADIESSE®⊕ LIDOCAINE TARGETS THE STRUCTURAL CAUSES OF AGEING

RADIESSE®⊕ Lidocaine is composed of calcium hydroxylapatite (CaHA) microspheres suspended in an aqueous gel carrier.¹



Once injected, it provides immediate volume and correction.²

It stimulates the body's own natural collagen production for a long- lasting effect.³⁻⁸



MORE THAN
SIMPLY A FILLER,
RADIESSE®⊕ LIDOCAINE
OFFERS A UNIQUE
TRIPLE EFFECT:

- + Lifting^{11,12}
- + Sharpened contours^{4,13,14}
- + Stimulating natural collagen production³⁻⁶



IMMEDIATE

12
MONTHS

AND LONGER^{2,8}

IMMEDIATE 1:1
CORRECTION^{3,9}

STIMULATION
OF COLLAGEN
PRODUCTION³⁻⁷

TIGHT COLLAGEN
NETWORK
STRENGTHENS
THE SKIN^{4,5}

HIGH DENSITY
OF COLLAGEN
AND ELASTIN⁴

MARIA

Treatment with RADIESSE®Ⓢ Lidocaine
in cheeks.



BEFORE

AFTER –
2 weeks after injection

ALEKSANDER

Treatment with RADIESSE®Ⓢ Lidocaine
in chin, jawline.



BEFORE

AFTER –
2 weeks after injection

DANIELA

Treatment with RADIESSE®Ⓢ Lidocaine
in chin, jawline.



BEFORE

AFTER –
2 weeks after injection

WHAT TO EXPECT

- + RADIESSE®Ⓢ Lidocaine can be gently injected under the skin in the middle and lower face¹
- + The procedure may take as little as 30 minutes
- + After injection, RADIESSE®Ⓢ Lidocaine works to lift and define key areas around the lower face for an overall smoother appearance^{4-7,11,13-16}
- + The natural-looking results may last up to a year or more in many patients^{2,8}

Please consult a qualified authorised medical practitioner who will advise the most appropriate treatment for you. RADIESSE® is a CE-marked Medical Device. Individual results may vary.

References: 1. RADIESSE® Instructions for Use. 2. Jacovella PF. *Clin Interv Ageing*. 2008;3(1):161-74. 3. Marmur ES, et al. *J Cosmet Laser Ther*. 2004;6(4):223-6. 4. Yutskovskaya Y, et al. *J Drugs Dermatol*. 2014;13(9):1047-52. 5. Yutskovskaya YA, Kogan EA. *J Drugs Dermatol*. 2017;16(1):68-74. 6. Berlin AL, et al. *Dermatol Surg*. 2008;34 Suppl 1:S64-7. 7. Zerbinati N. *Clin Cosmet Investig Dermatol*. 2018;11:29-35. 8. Tzikas TL. *Dermatol Surg*. 2008;34 Suppl 1:S9-15. 9. Pavicic T. *Clin Cosmet Investig Dermatol*. 2015;8:19-25. 10. Schachter D, et al. *J Drugs Dermatol*. 2016 Aug 1;15(8):1005-10. 11. van Loghem JV, et al. *J Clin Aesthet Dermatol*. 2015;8(1):38-49. 12. Sundaram H, et al. *Dermatol Surg*. 2010;36 Suppl 3:1859-65. 13. Dallara JM, et al. *J Cosmet Dermatol*. 2014;13(1):3-14. 14. Eviatar J, et al. *Plast Reconstr Surg*. 2015;136 (5 Suppl):164S-70S. 15. Muti GF, et al. *J Drugs Dermatol*. 2015;14(9):948-54. 16. Pavicic T. *Drugs Dermatol*. 2013;12(9):996-1002.

RADIESSE® is a registered trademark of Merz North America, Inc.
RADIESSE® is manufactured by Merz North America, Inc.
4133 Courtney Road, Suite #10, Franksville, WI 53126 U.S.A.
MERZ AESTHETICS® is a registered trademark of Merz Pharma GmbH & Co. KGaA.

Merz Pharma UK Ltd.
260 Centennial Park,
Elstree Hill S, Elstree WD6 3SR

www.merz-aesthetics.co.uk/radiesse

M-RAD+-UKI-0045 Date of Preparation February 2020

RADIESSE® 
LIDOCAINE